
Ergonomics Force Gauges **Series E**

32-1208 REV 0325 Page 1 of 5





Select a pre-configured kit, including a gauge, accessories, and carrying case, or select each item individually to suit particular needs.

Features & Specifications

- Measure real time and peak push and pull forces
- Three measuring ranges: 100, 200, and 500 lbF (500, 1000, and 2,500 N)
- Accuracy: ±0.2% of full scale
- Sampling rate: 7,000 Hz
- USB data output
- High / low limit indicators, for pass / fail and minimum force testing
- Averaging mode calculates average force over a period of time
- 5,000-point data memory data points may be saved individually or logged continuously at up to 7,000 Hz. Data points may be bulk downloaded to included MESUR® Lite data collection software.
- Statistical calculations for saved data points
- Includes an AC adapter/charger, rechargeable battery, MESUR® Lite software, MESUR® gauge 90-day trial, USB cable, USB driver, carrying case, and NISTtraceable certificate of calibration with data












Attachments click and lock into place via innovative Click-Lock™ technology, a rugged anti-rotation locking mechanism. The attachments may be clicked into 90° or 180° orientations. No fastening is required, as with conventional force gauges, reducing the risk of damage to the instrument.













Ergonomics Force Gauges **Series E**

32-1208 REV 0325 Page 2 of 5

Capacities & Resolutions

Model	lbF	ozF	kgF	gF	N	kN
ME-100	100 x 0.05	1600 x 1	50 x 0.02	50000 x 20	500 x 0.2	-
ME-200	200 x 0.05	3200 x 1	100 x 0.02	-	1000 x 0.2	1 x 0.0002
ME-500	500 x 0.1	8000 x 2	250 x 0.05	-	2500 x 0.5	2.5 x 0.0005







Alternative AC Adapter Prongs

All instruments include a 110V AC adapter with US prong style. Select an alternative prong adapter (if required) from the table below.

Model	Description		
AC1120	Prong for AC adapter, 220V EUR		
AC1121	Prong for AC adapter, 220V UK		
AC1122	Prong for AC adapter, 220V AUS		

Select individual accessories or pre-configured kits







Accessories

Rectangular Pad E1003



■ Pad dimensions: 4.0 x 1.0 x 0.5 in. [102 x 25 x 13 mm]


Curved Pad E1004



■ Pad dimensions: 1.0 in. [25 mm] deep

3.2 in. [81 mm] radius 0.5 in. [13 mm] thick







Data Sheet

Ergonomics Force Gauges **Series E**

32-1208 REV 1117

Square Pad E1002



Pad dimensions:1.0 x 1.0 x 0.5 in.[25 x 25 x 13 mm]

Snap Hook E1006



- Snap clasp, for added safety
- Swiveling action ensures proper alignment

Circular Pad E1005



Pad dimensions:3.0 in. [76 mm] dia.,0.5 in. [13 mm] thick

Page 3 of 5

Chain / Hook Assembly E1007



Single Handle Grip E1008



- Ergonomic rubber-padded handle for a secure grip
- Attaches to force gauge via included thumb screws

Double Handle Grip E1009



- Ergonomic rubber-padded handles, for a secure grip
- Attaches to force gauge via included thumb screws

Pistol Grip E1010



- Ergonomic design for a secure grip
- Attaches to force gauge via included thumb screws




Standard Grip Adapter E1011



- Adapts other Mark-10 grips via 5/16-18F thread
- Includes male/male stud with jam nuts







Ergonomics Force Gauges **Series E**

32-1208 REV 1117 Page 4 of 5

Looped Cable E1012

- Braided stainless steel
- 43 in. [1,092 mm] length

Myometer Accessory E1013



 Includes tabletop mounting kit for force gauge, strap, and mounting screws. Hook not included.





Small Carrying Case E1000



- Shown populated with optional accessories.
- The following page lists the components compatible with each carrying case.

Large Carrying Case E1001



- Shown populated with optional accessories.
- The following page lists the components compatible with each carrying case.





Data Sheet

Ergonomics Force Gauges **Series E**

32-1208 REV 1024

Series EKE Kits - Included Items





Г	Name of	, les	-6	
ı	51	70	i	
ı	v	-		
ŀ	7	F	9	
ı		ř	3	
- 1	QU.	One	•	























	Model No.	Description	Advanced Kits ¹ EKE-100-1 / EKE-200-1 / EKE-500-1	Professional Kits¹ EKE-100-2 / EKE-200-2 / EKE-500-2
	ME-100 ME-200 ME-500	Force gauge, 100 lbF / 500 N Force gauge, 200 lbF / 1,000 N Force gauge, 500 lbF / 2,500 N	✓	✓
	E1002	Padded attachment, square	×	\checkmark
	E1003	Padded attachment, rectangular	✓	✓
	E1004	Padded attachment, curved	✓	✓
	E1005	Padded attachment, circular	×	✓
	E1006	Clasp hook	✓	\checkmark
)	E1007	Chain / clasp hook assembly	×	✓
)	E1008	Single handle grip	×	✓
)	E1009	Double handle grip	✓	✓
	E1010	Pistol grip	×	✓
	E1011	Grip adapter	×	×
)	E1012	Looped cable ²	×	×
	E1013	Myometer accessory ²	×	×
	E1000	Carrying case, small	✓	×
	E1001	Carrying case, large	×	✓

1. Kits include a force gauge with 110V AC adapter. See page 2 Alternative AC Adapter Prongs chart for international versions. 2. Does not fit into carrying cases. 3. Does not fit into carrying cases. Requires E1006 hook.



